

MULTI ECO HOOD FOR GENIUS^{MT} / MULTIMAX 06-11/10-11

MODULAR SOLUTIONS

FOR ALL MIXED STATIONS OF THIS SERIES - INDIVIDUAL DEVICE - RIGHT-HINGED



HIGHLIGHTS

- Table-top device for switching on and fully automatic control
- Air-cooled plate condensers for condensing vapours during cooking
- Fan shut-off delay approx. 5 min
- Continuous drainage of condensation into the waste water system of the table-top device
- 2 fan speed levels
- SPS® - Steam Protection System

Technical data

Overall connection data	Dimensions
Voltage: 230 V/1 N AC	Width: 927 mm
Rated consumption: 0.18 kW	Depth: 804 mm
Rated current: < 1.0 Amp	Height: 170 mm
Fuse protection: 1 x 16 Amp (via device)	Weight: approx. 25 kg
Cable cross section: 1.5 mm ²	Noise emission: < 70 dB (A)
	Air rate: 1300 m ³ /h
Article number: EL2004324	

Equipment/Version

- Compact attachment unit
- Flush device contour without protrusion
- Air flow deflector plates attached for easy cleaning
- Condensation system consisting of 4 plate condensers (3 m²)
- 4 low-noise axial fans for air cooling
- Spray water protection IP X5
- No additional installations required for power supply or waste water
- Electrical activation / power supply from combi steamer
- Condensation drain connected directly to the device drain

