

## Modular Ice Machine 133 kg

Item #:

Project:

Quantity:



### FEATURES

- Top Materials: AISI 304 Stainless steel and new removable grid
- Core Ice System: Stable evaporator system (Axial load).
- New Core Evaporator: Highly balanced auger (double fly system).
- New Gearmotor: Evaporator stability improved and noise free.
- Innovative Ice Breaker: Very dry flake ice - 12% of water contents.
- Durable Operations: High efficiency and better performance.
- Easy to Clean: Facilitated cleaning process and XSafe standard.
- New High-tech Water Sump with easy regulation system.
- New ice level sensor: for seamless operations.
- New Display: Touch & Smart.
- XWave: New App with improved electronics and programming.



MXF 327  
Superflake ice  
Residual water content 12%

### CONDENSING SYSTEM

Air cooled

### REFRIGERANT GAS

R290

### VOLTAGE V/Hz/ph

230/50/1

### RECOMMENDED BINS

Head	Bins	kg
MXF 327	<b>SB193</b>	129



### CERTIFICATIONS



### OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10	43
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

**IMPORTANT NOTICE:**  
Models and specifications are subject to change without notice.  
This spec sheet is meant for commercial purpose only.  
For technical documentation please refer to our service manuals.


[www.scotsman-ice.it](http://www.scotsman-ice.it)  
[www.scotsman-ice.com](http://www.scotsman-ice.com)

Modular Ice Machine 133 kg

## Modular Ice Machine 133 kg

Item #:
Project:
Quantity:

Modular Ice Machine 133 kg



UNIT DATA		SHIPPING DATA									
Size (W x D x H)	560 x 615 x 450 mm	Carton (W x D x H)	625 x 690 x 625 mm								
Net weight	44 kg	Weight	54 kg								
		24 h ice production kg °C Amb. / °C Water			Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size
Version	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W	W	No. x Ømm²	A
MXF 327 AS OX	230/50/1	133	123	90	11.8	10.6	3.9	470	520	3 x 1.5	10
MXF 327 WS OX	230/50/1	125	120	100	10	10	43	430	430	3 x 1.5	10

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions